



SUPER MATTE SURFACE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Issue date: 12/07/2017 Revision date: 06/04/2022 Supersedes version of: 18/01/2022 Version: 3.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : SUPER MATTE SURFACE CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

IPS Adhesives Ltd
New York Way
NE27 0QF Newcastle upon Tyne – Tyne & Wear
United Kingdom
T +44 (0)191 259 0033 - F +44 (0)191 257 4525
sales@unika.co.uk - www.unika.co.uk

Only Representative

Ricardo Nederland BV B.V.
Catharijnesingel 33 3511 GC Utrecht
Netherlands

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

SUPER MATTE SURFACE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|----------------------------------|---|-----|--|
| DIDECYLDIMETHYLAMMONIUM CHLORIDE | CAS-No.: 7173-51-5 EC-No.: 230-525-2 | < 1 | Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| PROPAN-2-OL | CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 | < 1 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|---|
| First-aid measures general | : IF exposed or concerned: Get medical advice/attention. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| First-aid measures after ingestion | : Rinse mouth out with water. If you feel unwell, seek medical advice. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|---|
| Symptoms/effects after inhalation | : May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing. May cause shortness of breath, tightness of the chest, a sore throat and cough. |
| Symptoms/effects after skin contact | : May cause moderate irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Direct contact with the eyes is likely to be irritating. |
| Symptoms/effects after ingestion | : Ingestion may cause nausea and vomiting. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical, CO₂, dry sand, or alcohol-resistant foam.

5.2. Special hazards arising from the substance or mixture

Fire hazard : In case of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

SUPER MATTE SURFACE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

No additional information available

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No additional information available

7.2. Conditions for safe storage, including any incompatibilities

No additional information available

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| PROPAN-2-OL (67-63-0) | |
|--|--|
| Belgium - Occupational Exposure Limits | |
| Local name | Alcool isopropylique # Isopropylalcohol |
| OEL TWA | 500 mg/m ³ |
| OEL TWA [ppm] | 200 ppm |
| OEL STEL | 1000 mg/m ³ |
| OEL STEL [ppm] | 400 ppm |
| Regulatory reference | Koninklijk besluit/Arrêté royal 19/11/2020 |
| Bulgaria - Occupational Exposure Limits | |
| Local name | Изопропилов алкохол |
| OEL TWA | 980 mg/m ³ |
| OEL STEL | 1225 mg/m ³ |
| Regulatory reference | Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр.5 от 17 Януари 2020 г.) |
| Croatia - Occupational Exposure Limits | |
| Local name | Propan-2-ol; izopropil-alkohol; izopropanol |
| GVI (OEL TWA) [1] | 999 mg/m ³ |
| GVI (OEL TWA) [2] | 400 ppm |
| KGVI (OEL STEL) | 1250 mg/m ³ |

SUPER MATTE SURFACE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| PROPAN-2-OL (67-63-0) | |
|--|---|
| KGVI (OEL STEL) [ppm] | 500 ppm |
| Regulatory reference | Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 91/2018) |
| Czech Republic - Occupational Exposure Limits | |
| Local name | 2-Propanol (Isopropanol; Izopropylalkohol) |
| PEL (OEL TWA) | 500 mg/m ³ |
| PEL (OEL TWA) [ppm] | 200 ppm |
| NPK-P (OEL C) | 1000 mg/m ³ |
| NPK-P (OEL C) [ppm] | 400 ppm |
| Regulatory reference | Nařízení vlády č. 361/2007 Sb. (Předpis 41/2020 Sb.) |
| Denmark - Occupational Exposure Limits | |
| Local name | Isopropylalkohol (Isopropanol; 2-Propanol; sec-Propylalkohol) |
| OEL TWA [1] | 490 mg/m ³ |
| OEL TWA [2] | 200 ppm |
| Regulatory reference | BEK nr 290 af 13/02/2021 |
| Estonia - Occupational Exposure Limits | |
| Local name | 2-propanool (isopropüülalkohol, isopropanool) |
| OEL TWA | 350 mg/m ³ |
| OEL TWA [ppm] | 150 ppm |
| OEL STEL | 600 mg/m ³ |
| OEL STEL [ppm] | 250 ppm |
| Regulatory reference | Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 17.10.2019, 2); Vabariigi Valitsuse 10. märtsi 2019. a määruse nr 84 |
| Finland - Occupational Exposure Limits | |
| Local name | 2-Propanoli |
| HTP (OEL TWA) [1] | 500 mg/m ³ |
| HTP (OEL TWA) [2] | 200 ppm |
| HTP (OEL STEL) | 620 mg/m ³ |
| HTP (OEL STEL) [ppm] | 250 ppm |
| Regulatory reference | HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö) |
| France - Occupational Exposure Limits | |
| Local name | Alcool isopropylique |
| VLE (OEL C/STEL) | 980 mg/m ³ |
| VLE (OEL C/STEL) [ppm] | 400 ppm |
| Remark | Valeurs recommandées/admises |
| Regulatory reference | Circulaire du Ministère du travail (réf.: INRS ED 984, 2016) |
| Germany - Occupational Exposure Limits (TRGS 900) | |
| Local name | Propan-2-ol |
| AGW (OEL TWA) [1] | 500 mg/m ³ |
| AGW (OEL TWA) [2] | 200 ppm |

SUPER MATTE SURFACE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| PROPAN-2-OL (67-63-0) | |
|---|--|
| Peak exposure limitation factor | 2(II) |
| Remark | DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden |
| Regulatory reference | TRGS900 |
| Greece - Occupational Exposure Limits | |
| Local name | Ισοπροπυλική αλκοόλη |
| OEL TWA | 980 mg/m ³ |
| OEL TWA [ppm] | 400 ppm |
| OEL STEL | 1225 mg/m ³ |
| OEL STEL [ppm] | 500 ppm |
| Regulatory reference | Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους |
| Hungary - Occupational Exposure Limits | |
| Local name | IZOPROPIL-ALKOHOL |
| AK (OEL TWA) | 500 mg/m ³ |
| CK (OEL STEL) | 1000 mg/m ³ |
| Regulatory reference | 5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről |
| Ireland - Occupational Exposure Limits | |
| Local name | Isopropyl alcohol [Propan-2-ol] |
| OEL TWA [2] | 200 ppm |
| OEL STEL [ppm] | 400 ppm |
| Regulatory reference | Chemical Agents Code of Practice 2020 |
| Latvia - Occupational Exposure Limits | |
| Local name | Izopropanols (2-propanols, izopropilspirts, 1-metil-1-etanols) |
| OEL TWA | 350 mg/m ³ |
| OEL STEL | 600 mg/m ³ |
| Regulatory reference | Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92) |
| Lithuania - Occupational Exposure Limits | |
| Local name | 2-propanolis (izopropanolis, izopropilo alkoholis) |
| IPRV (OEL TWA) | 350 mg/m ³ |
| IPRV (OEL TWA) [ppm] | 150 ppm |
| TPRV (OEL STEL) | 600 mg/m ³ |
| TPRV (OEL STEL) [ppm] | 250 ppm |
| Regulatory reference | LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12) |
| Poland - Occupational Exposure Limits | |
| Local name | Propan-2-ol (izopropylowy alkohol) |
| NDS (OEL TWA) | 900 mg/m ³ |

SUPER MATTE SURFACE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| PROPAN-2-OL (67-63-0) | |
|--|---|
| NDSch (OEL STEL) | 1200 mg/m ³ |
| Regulatory reference | Dz. U. 2018 poz. 1286 |
| Portugal - Occupational Exposure Limits | |
| Local name | 2-Propanol (isopropanol ou álcool isopropílico) |
| OEL TWA [ppm] | 200 ppm |
| OEL STEL [ppm] | 400 ppm |
| Remark | A4 (Agente não classificável como carcinogénico no Homem); IBE (Índice biológico de exposição) |
| Regulatory reference | Norma Portuguesa NP 1796:2014 |
| Romania - Occupational Exposure Limits | |
| Local name | Alcool izopropilic/2-Propanol |
| OEL TWA | 200 mg/m ³ |
| OEL TWA [ppm] | 81 ppm |
| OEL STEL | 500 mg/m ³ |
| OEL STEL [ppm] | 203 ppm |
| Regulatory reference | Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021) |
| Slovakia - Occupational Exposure Limits | |
| Local name | Izopropylalkohol (propán-2-ol) |
| NPHV (OEL TWA) [1] | 500 mg/m ³ |
| NPHV (OEL TWA) [2] | 200 ppm |
| NPHV (OEL STEL) | 1000 mg/m ³ |
| NPHV (OEL STEL) [ppm] | 400 ppm |
| Regulatory reference | Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.) |
| Slovenia - Occupational Exposure Limits | |
| Local name | propan-2-ol (izopropilalkohol; izopropanol) |
| OEL TWA | 500 mg/m ³ |
| OEL TWA [ppm] | 200 ppm |
| OEL STEL | 1000 mg/m ³ |
| OEL STEL [ppm] | 400 ppm |
| Remark | Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti), BAT (Biolóška mejna vrednost) |
| Regulatory reference | Uradni list RS, št. 78/2019 z dne 20.12.2019 |
| Spain - Occupational Exposure Limits | |
| Local name | Isopropanol (Alcohol isopropílico) |
| VLA-ED (OEL TWA) [1] | 500 mg/m ³ |
| VLA-ED (OEL TWA) [2] | 200 ppm |
| VLA-EC (OEL STEL) | 1000 mg/m ³ |
| VLA-EC (OEL STEL) [ppm] | 400 ppm |

SUPER MATTE SURFACE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| PROPAN-2-OL (67-63-0) | |
|--|---|
| Remark | VLB® (Agente químico que tiene Valor Límite Biológico), s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf). |
| Regulatory reference | Límites de Exposición Profesional para Agentes Químicos en España 2021. INSHT |
| Sweden - Occupational Exposure Limits | |
| Local name | Isopropanol |
| NGV (OEL TWA) | 350 mg/m ³ |
| NGV (OEL TWA) [ppm] | 150 ppm |
| KTV (OEL STEL) | 600 mg/m ³ |
| KTV (OEL STEL) [ppm] | 250 ppm |
| Regulatory reference | Hygieniska gränsvärden (AFS 2018:1) |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Propan-2-ol |
| WEL TWA (OEL TWA) [1] | 999 mg/m ³ |
| WEL TWA (OEL TWA) [2] | 400 ppm |
| WEL STEL (OEL STEL) | 1250 mg/m ³ |
| WEL STEL (OEL STEL) [ppm] | 500 ppm |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |
| Iceland - Occupational Exposure Limits | |
| Local name | 2-Própanól (ísóprópanól, ísóprópýlalkóhól, sec-própýlalkóhól) |
| OEL TWA | 490 mg/m ³ |
| OEL TWA [ppm] | 200 ppm |
| Remark | H (efnið getur auðveldlega borist inn í líkamann gegnum húð) |
| Regulatory reference | Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009) |
| Norway - Occupational Exposure Limits | |
| Local name | 2-propanol (Isopropanol) |
| Grenseverdi (OEL TWA) [1] | 245 mg/m ³ |
| Grenseverdi (OEL TWA) [2] | 100 ppm |
| Regulatory reference | FOR-2020-04-06-695 |
| Switzerland - Occupational Exposure Limits | |
| Local name | 2-Propanol / 2-Propanol [iso-Propylalkohol, Isopropanol, Isopropylalkohol] |
| MAK (OEL TWA) [1] | 500 mg/m ³ |
| MAK (OEL TWA) [2] | 200 ppm |
| KZGW (OEL STEL) | 1000 mg/m ³ |
| KZGW (OEL STEL) [ppm] | 400 ppm |
| Critical toxicity | VRS, Foie, SNC, Yeux / OAW, Leber, ZNS, Auge |
| Notation | SS _C , B / SS _C , B |

SUPER MATTE SURFACE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| PROPAN-2-OL (67-63-0) | |
|-----------------------|-------------------------|
| Remark | INRS, NIOSH |
| Regulatory reference | www.suva.ch, 01.01.2021 |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Liquid |
| Colour | : Pale blue. |
| Odour | : odourless. |
| Odour threshold | : No data available |
| pH | : 2 – 3 |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : > 65 |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : 1.002 |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SUPER MATTE SURFACE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

PROPAN-2-OL (67-63-0)

| | |
|---------------|--|
| LD50 oral rat | 5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
|---------------|--|

Skin corrosion/irritation : Not classified
pH: 2 – 3
Serious eye damage/irritation : Not classified
pH: 2 – 3
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

PROPAN-2-OL (67-63-0)

| | |
|----------------------|------------------------------------|
| STOT-single exposure | May cause drowsiness or dizziness. |
|----------------------|------------------------------------|

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified.
Not rapidly degradable

SUPER MATTE SURFACE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

PROPAN-2-OL (67-63-0)

| | |
|-----------------|--|
| LC50 - Fish [1] | 10000 mg/l Test organisms (species): Pimephales promelas |
| LC50 - Fish [2] | 9640 mg/l Test organisms (species): Pimephales promelas |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|----------------|----------------|----------------|----------------|
| 14.1. UN number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

SUPER MATTE SURFACE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals: Didecyldimethylammonium chloride (7173-51-5)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

France

Occupational diseases

| Code | Description |
|-------|---|
| RG 65 | Eczematiform lesions of allergic mechanism |
| RG 84 | Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide |

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Switzerland

Storage class (LK) : LK 10/12 - Liquids

SUPER MATTE SURFACE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

| | |
|---------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| EUH210 | Safety data sheet available on request. |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| H225 | Highly flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Narcosis |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.